ABC TOOLS Radius gauges

For checking concave and convex radii - With locking screw

Blades n°		30	32	34
Code		H 4696 4030	H 4696 4032	H 4696 4034
H 4696/4 - In steel	Each €			
Code		H 4696 5030	H 4696 5032	H 4696 5034
H 4696/5 - In stainless steel	Each €			
For radii from	mm	15,5÷25	7,5÷15	1÷7

ABC TOOLS Thread pitch gauges

For checking internal and external threads

Type for Whitworth threads at 55°
With 28 blades for threads per inch 4÷62

Code H 4700 0000	**H 4700**	Each €	📦	1

Type for ISO metric threads at 60°
With 24 blades for threads with pitch 0,25÷6 mm

Code H 4701 0000	**H 4701**	Each €	📦	1

Type for UNC threads at 60°
With 22 blades for threads per inch 4÷64

Code H 4702 2200	**H 4702/22**	Each €	📦	1

Type for UNF threads at 60°
With 16 blades for threads per inch 12÷80

Code H 4702 1600	**H 4702/16**	Each €	📦	1

Type for Gas threads at 55°
With 6 blades for threads in inch from 8÷28 - DIN 259

Code H 4703 0000	**H 4703**	Each €	📦	1

Type for Whitworth threads at 55° and ISO metric threads at 60°
H 4704   - With 52 blades: 24 for threads 0,25÷6 mm, and 28 for Whitworth threads 4÷62
H 4704/58- With 58 blades: 24 for threads 0,25÷6 mm, 28 for Whitworth threads 4÷62 and 6 for gas threads at 55° 8÷28

Code H 4704 0000	**H 4704**	Each €	📦	1
Code H 4704 5800	**H 4704/58**	Each €	📦	1

H 3

ABC TOOLS Control gauges

Square type adjustable from 0° to 30°
For trapezoidal threads 2 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 12 mm
For saws angles 40° - 45° - 50° - 60° - 65° - 70° - 75° - 80° and point angles 55° and 60°
Dimensions 80x45 mm

Code H 4705 0000	**H 4705**	Each €	📦	1

Type for Whitworth threads at 55°

Code H 4706 1000	**H 4706/1**	Each €	📦	1

Type for ISO Metric threads at 60°

Code H 4706 2000	**H 4706/2**	Each €	📦	1

Type for drill bits
Suitable for drill bits up to Ø 50 mm and with 118° cutting angle - Length 50 mm

Code H 4708 0000	**H 4708**	Each €	📦	1